



Friedhelm TRAPP GmbH

Ostring 15 - 63533 Mainhausen - Zentrale: 06182/9294-5 - Fax: 06182/9294-69 - Mail: trapp@f-trapp.de

www.f-trapp.de

Decorative luminaire TML-347



Modern top luminaire for the illumination of the road space for Park and green areas.

By being able to choose two different roof sizes, this luminaire opens up the range of mounting heights from 3.0 to 6.5 m.

It is advisable to use this lamp in conjunction with one of the optional lighting systems (Prismatic or mirrorlammellae).





Friedhelm TRAPP GmbH

Ostring 15 - 63533 Mainhausen - Zentrale: 06182/9294-5 - Fax: 06182/9294-69 - Mail: trapp@f-trapp.de

www.f-trapp.de

Decorative luminaire TML-347

Technical Specifications

Application areas:

Fixed illumination from:

- Residential and shopping streets
- Parks and green areas
- Representative areas
- Pedestrian areas
- Promenades
- Parking and marketplaces

Lightspot height:

3.5 to 6.5 m, for mounting a top luminaire on steel masts or jib (Spigot Ø 76 mm).

Luminaire housing:

- Aluminium sheet / Al-casting powder coated or painted
- RAL color of your choice
- Roof-part removable without tools
- On request glare reduction by internal fins, shielding or prismatic refractor (see illustration)
- PMMA or PC (extra charge) opal or clear.

Cylinder:

PMMA or PC (extra charge) opal or clear.

Electrical installation:

- Electrical plug block
- LED
- HSE 70 - 150 W
- HIE
- Protection class: I
- protection category: IP 44

All connecting elements made of stainless steel.




Friedhelm TRAPP GmbH

Ostring 15 - 63533 Mainhausen - Zentrale: 06182/9294-5 - Fax: 06182/9294-69 - Mail: trapp@f-trapp.de


www.f-trapp.de

Decorative luminaire TML-347

Diameters




TML 347.680




TML 347.800

Photometric data

Polar graph:



Cartesian graph:



Light source: NAV-E-50




Friedhelm TRAPP GmbH


Ostring 15 - 63533 Mainhausen - Zentrale: 06182/9294-5 - Fax: 06182/9294-69 - Mail: trapp@f-trapp.de

www.f-trapp.de

Decorative luminaire TML-347



Luminaire: TML 347L.800
Pole: TZM 711.40



TML 347L.680
TZM 701.35